

## USER INSTRUCTIONS

Applicable to products: AG4 series

Economic Operator	Role	Identifier	Address	Post Code	Country
R. Glover Ascroft	Authorised representative	EORI GB220731409000	Enfield	EN3 6AW	UK
SATRA Technology Centre	UKCA certification and Module D	Approved Body 0321	Kettering	NN16 8SD	UK
SATRA Technology Europe	CE certification and Module D	Notified Body 2777	Dublin	D15 YN2P	Eire

This product group is classed as Personal Protective Equipment (PPE) by the European Regulation (EU) 2016/425 and under UK law as amended. It has been shown to comply with EU and UK law through appropriate testing to EU Harmonised European Standards and UK Designated Standards. The product group has been assessed to: EN420:2003+A1 2009, EN388:2016+A1 2018, EN407:2004 to the Complex Design standard (Category 3).


### CAREFULLY READ THESE INSTRUCTIONS BEFORE USING THIS PRODUCT

**THE PRODUCT** – These protective gauntlets are intended for use in workplace environments where heat is a factor. The product provides contact heat protection when handling hot solid objects to 350°C for a maximum of 15 seconds. In addition the product will provide good cut resistance and tearing resistance.

**No PPE item provides full protection and care must always be taken while carrying out the risk related activity.**

**PERFORMANCE AND LIMITATIONS TO USE** - When tested in accordance with the requirements of EN388:2016+A1 2018 and EN407:2004, the product achieved the following performance levels:-

#### EN388:2016 Mechanical Risks



1541X

Abrasion resistance	level 1 (0-4)
Circular blade cut resistance	level 5 (0-5)
Tear resistance	level 4 (0-4)
Puncture resistance	level 1 (0-4)
TDM cut resistance	level X (Not tested)



4343XX

#### EN407:2004 Thermal Risks

Burning Behaviour	4	(0-4)
Contact heat	3	(0-4)
Convective heat	4	(0-4)
Radiant heat	3	(0-4)
Small molten metal splash	X	(Not tested)
Large molten metal splash	X	(Not tested)

#### ADVISORIES FOR EN388:2016 MECHANICAL RISKS

Due to the achieved tear resistance result, ideally these gloves should not be worn in environments where there is the risk of entanglement by moving parts of machines.

#### ADVISORIES FOR EN407:2004 THERMAL RISKS

Do not use this product in the presence of molten metal, or where there is the potential for contact with other hot liquids

**FITTING AND SIZING** - This product is ambidextrous and may be worn for use on either hand. The product is available in hand size 10 only, and no further adjustment is possible. Check that this hand size can accommodate the donning / doffing process satisfactorily before using the product.

**STORAGE AND OBSOLESCENCE** - When stored in dry conditions in its original packaging, the product will not suffer from any changes in physical properties for up to 5 years from date of manufacture. To avoid colour fade, keep the product away from direct sunlight.

**COMPATIBILITY** - To optimise protection, in some instances it may be necessary to use these products with suitable boots/headwear or workwear. In this case, before carrying out the risk related activity, consult your supplier to ensure that all your protective products are compatible and suitable for your application.

**IN USE** - If the product becomes worn or damaged it will **NOT** provide the declared protection, and it should be immediately replaced without further use. Do not reverse (turn inside out) the product for use as PPE. Do not use the product in any way other than as hand/arm protection. To preserve hand hygiene, communal use is not recommended.

**MAINTENANCE AND CLEANING** - The product will not require any additional maintenance during its working life. Check the product's surface for any signs of wear or damage before commencing use. The product is not a suitable candidate for laundering or dry cleaning. If the product becomes too soiled for use, then it should be replaced.

The Declaration of Conformity for this product can be downloaded at [www.r-glover-ascroft.com/product-range](http://www.r-glover-ascroft.com/product-range)

**MARKINGS** - The product is marked with:-

CE 2777 UK CA 0321

- The manufacturer's Trade Mark - "RGA" and address details.
- The CE and UKCA markings, showing that the product meets the requirements of EU and UK PPE legislation.
- The Product's article number.
- Pictograms indicating the product meets the requirements of EN388:2016+A1 2018 and EN407:2004
- The Company's Website URL