

USER INFORMATION

Applicable to products: AP1 Series

Economic Operator	Role	Identifier	Address	Post Code	Country
R. Glover Ascroft Ltd.	Manufacturer	EORI GB220731409000	Enfield	EN3 6AW	UK
SATRA Technology Centre Ltd.	Type Examination / UKCA certification	Approved Body 0321	Kettering	NN16 8SD	UK
SATRA Technology Europe Ltd.	CE certification	Notified Body 2777	Dublin	D15 YN2P	Eire
INSPEC International Ltd.	UK Module D certification	Approved Body 0194	Manchester	M6 6AJ	UK
INSPEC International B.V.	EU Module D Certification	Notified Body 2849	Schiphol-Rijk	1119 PW	Netherlands


This product group is classed as Personal Protective Equipment (PPE) by the European Regulation (EU) 2016/425 and under UK Law as amended. It has been shown to comply with EU and UK law through appropriate testing to EU Harmonised European Standards and UK Designated Standards. The product group has been assessed to EN ISO 13688:2013, EN 13034:2005 +A1 2009 and EN ISO 11612:2015 to the Complex design standard (Category 3).

CAREFULLY READ THESE INSTRUCTIONS BEFORE USING THIS PRODUCT

THE PRODUCT – Lightweight bib top aprons constructed from nitrile butadiene rubber material. The material and the apron format are designed to provide mechanical resistance to abrasion, tear and puncture hazards; and chemical resistance to the specified chemical. Barrier protection from high temperature cooking oil is also provided. No substances within the product are known to cause allergies.

No PPE item provides full protection and care must always be taken while carrying out the risk related activity.

PERFORMANCE AND LIMITATIONS TO USE - When tested in accordance with the requirements of EN 13034:2005 +A1 2009, and EN ISO 11612:2015, the product achieved the following performance levels:

EN 13034:2005+A1 2009 (Protective clothing against liquid chemicals)				EN ISO 11612:2015 (Clothing to protect against heat and/or flame)			
 Type PB [6]	Abrasion resistance	Class 6	(1-6)	 Code F1	Contact heat resistance	Level 1	(1-3)
	Tear resistance	Class 2	(1-6)				
	Tensile strength	Class 5	(1-6)				
	Puncture resistance	Class 2	(1-6)				
	Liquid penetration resistance	Level 3	(1-3)				
	Liquid repellency (using 10% Sodium Hydroxide)	Level 3	(1-3)				

Do not use the product in an environment where there is the risk of exposure to chemical agents not listed as suitable in this User information Sheet. Avoid direct contact with solid heat sources over **180°C**. Do not use the product in contact with liquid heat sources over **250°C**.

ADVISORIES FOR EN13034:2005 +A1 2009

Type PB [6] partial body protection indicates that the garment has not been tested to the whole suit test. In the event of an accidental chemical splash, or contact with a hot, flammable liquid on the clothing, the wearer must immediately withdraw and remove the garment. Ensure the garment is of a satisfactory condition (with no visible damage to the surface material) before returning to service.

FITTING AND SIZING - Only wear products of a suitable size. Products which are too loose or too tight will restrict movement and will not provide the optimum protection. This product is available in any length and width to provide the required protection for the human torso and to the front of legs.

STORAGE AND OBSOLESCENCE – Store product in a dry, ambient environment, and away from direct sunlight. When stored in these conditions in original packaging, the product will not suffer from any changes in physical properties for up to 5 years from date of manufacture.

COMPATIBILITY - To optimise protection, it may be necessary to use this products with additional Personal Protective Equipment. In this case, before carrying out the risk related activity, consult your supplier to ensure that all your PPE is compatible and suitable.

IN USE - If the product becomes worn or damaged it will **NOT** provide the optimum level of protection and should be immediately replaced. Never use a damaged product, or use the product in any way other than as protection for the human torso and to the front of legs.

MAINTENANCE AND CLEANING - The product will not require any additional maintenance during its working life. The product may be hand washed using a mild detergent to remove accumulated soiling, and the product left to air-dry. Ensure that the product is completely dry before use.

Do not launder or machine wash

GENERAL - The results of the tests are intended to assist in appropriate product selection, however it must be understood that actual conditions of use cannot be simulated and it is the responsibility of the user, not the manufacturer to determine suitability to the intended use. Service life cannot be specified and depends on the application.

The Declaration of Conformity for this product can be downloaded at <https://www.rgaprotectiveclothing.co.uk/product-range>

MARKINGS - The product is marked with:

UK 0194 CE 2849

1. The manufacturer's Trade Mark - "**RGA**" and address details.
2. The CE and UKCA markings, showing that the product meets the requirements of EU and UK PPE legislation.
3. The Product's article number (incorporating the product's dimensions: length x width)
4. Pictograms indicating the product meets the requirements of EN 13034:2005+A1 2009 and EN ISO 11612:2015
5. The Company's Website URL where documented information for the product can be downloaded